

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	168	"187"/\$.ccls. and "elevator speed" and m/s	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/27 16:11
L2	21	"187"/\$.ccls. and "elevator speed" and "1 m/s"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/27 16:09
L3	2	"187"/\$.ccls. and "elevator speed" and "200 feet/min"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/27 16:09
L5	63	"187"/\$.ccls. and ("elevator speed" same "m/s")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/27 16:11
S1	2	("20050103573").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/26 13:25
S2	6	((("5308291") or ("4995855") or ("4722722"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/09/29 09:39
S3	269	(187/254).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/20 09:08
S4	137	(187/264).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/20 09:08
S5	262	(187/251).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/20 09:09
S6	667	"elevator belt"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/20 09:09

S7	8	"elevator belt" and "187"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/20 09:10
S8	14	"elevator belt" and "474"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/20 09:13
S9	229	(474/260).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/20 09:13
S10	156	(474/264).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/20 09:13
S11	227	(474/237).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/20 09:22
S18	2	EP-356798\$.ap,prai,did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/20 09:29
S19	1	JP08247221.ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/20 09:37
S21	0	JP08247221.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/20 09:38
S22	2	JP-08247221-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/20 09:59
S23	2	WO-9919267-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/20 10:02
S30	19	(groove or channel or depression or notch or slit) near "drive sheave" and ratio	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/21 07:30

S31	3	((belt or cable) near (groove or channel or depression or notch or slit)) near "drive sheave") and ratio	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/21 07:31
S32	17	("4011766") or ("4486375") or ("4534437") or ("4605389") or ("4976662") or ("5308291") or ("6484368") or ("6364063")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/21 07:36
S33	4	S32 and elevator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/21 13:50
S34	0	ratio near ("groove width" same "drive sheave diameter")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/21 13:51
S35	17	("drive sheave" near diameter) and "187"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/24 13:47
S36	11692	"transmission belt"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/24 14:25
S37	1938	"transmission belt" and "474"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/24 14:26
S38	414	"transmission belt" and "474"/.ccls. and sheave	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/24 14:26
S39	7	("4264314"   "4332576"   "4647278").PN. OR ("4976662"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/24 14:33
S40	51	"flat belt" and "drive sheave"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/25 14:37
S41	801	"flat belt" and radius	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/26 13:26

S42	133	"flat belt" and radius and "474"/. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/26 13:28
S43	28	("0380077"   "0426638"   "0975790"   "1011423"   "1035230"   "1164115"   "2413817"   "3142192"   "3498817"   "3713348"   "3851535"   "4034616"   "4114751"   "4607808"   "4781660"   "4979928"   "5112933"   "5281189"   "5284457").PN. OR ("6742769"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/26 13:29
S44	7	("3034366"   "4187732"   "4631042").PN. OR ("6129643"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/26 13:31
S45	6	("1356917"   "2054619").PN. OR ("4995855").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/26 13:34
S46	17	("4024772"   "4295836").PN. OR ("4591351").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/26 13:55
S47	44	elevator and "sheave diameter" and "187"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/27 10:14
S48	32	elevator and "sheave diameter" and "187"/\$.ccls. and (mm or m)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/27 10:14
S49	19	"4264314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/27 13:42
S50	2	("4647278").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/27 13:49
S51	12	((("2802511") or ("4002080") or ("2728239")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/27 13:49